
# SPECIFICATION SHEET



**COLLECTION: ELEMENTS** 

PRODUCT CODE: IND-ELE148D/2-BRG





SHOWER TYPE

Shower Valve

**VALVE TYPE** 

Concealed

**ORIENTATION** 

Vertical

NUMBER OF OUTLETS

10utlet

WITH ALL-FLOW FUNCTION

No

WITH INTEGRATED DIVERTER

No

COMPATIBLE WITH STUDFAST

Yes

WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION

Yes

WITH SHOWER KIT

No

tel: 01934 74466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



# SPECIFICATION SHEET

**COLLECTION: ELEMENTS** 

PRODUCT CODE: IND-ELE148D/2-BRG

# INCLUDES MORTAR / TILE GUARD

Yes

# COMPATIBLE WITH EASY-FIX BRACKETS

No

# WITH THERMOSTATIC TECHNOLOGY

Yes

# **INSTALLATION TOLERANCES**

min-max wall mount 70-95mm optimum installation depth 82mm

# **CONNECTIONS / FITTINGS**

 $2 \times 3/4$ " female inlets  $2 \times 3/4$ " female outlets includes 3/4" - 1/2" adaptors

# **SPARE PARTS**

thermostatic cartridge V-704-34S diverter cartridge FL-804-33X/3X

# **MOUNTING**

Wall Mounted

# PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

# **COLLECTION NAME**

Elements

# **FINISH**


**Brushed Gold** 

# MINIMUM OPERATING PRESSURE

0.2 Bar LP (Shower) / 1.0 Bar MP (Bath)

#### **GUARANTEE**

15 Year Guarantee




www.vado.com



# TECHNICAL DRAWING

**COLLECTION: ELEMENTS** 

PRODUCT CODE: IND-ELE148D/2-BRG



tel: 01934 744466 email: sales@vado.com

www.vado.com

