
SPECIFICATION SHEET



COLLECTION: ORIGINS PRODUCT CODE: IND-ORI209SA-BRN





TAP TYPE

Basin Mixer

COLLECTION NAME

Origins

FINISH Brushed Nickel

RECOMMENDED FLOW REGULATOR

5 l/m flow regulator fitted as standard when installing below 1.0 bar pressure, removal of the flow regulator is required

MINIMUM OPERATING PRESSURE 0.2 Bar LP

GUARANTEE 15 Year Guarantee

HANDLES

Single Lever

WITH ECOTURN COLD START TECHNOLOGY

No

NOTES

tile-to mortar guard included

tel: 01934 74466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | ACCESSORIES



SPECIFICATION SHEET

COLLECTION: ORIGINS PRODUCT CODE: IND-ORI209SA-BRN

WITH WATER FLOW STRAIGHTENER

No

WITH WATER FLOW AERATOR Yes

INSTALLATION TOLERANCES min-max wall mount 53-70mm

CONNECTIONS / FITTINGS

2 x 1/2" inlets

SPARE PARTS ceramic cartridge CAR-K35B WALL HOLE DRILL DIAMETER

Spout: 40-48mm Handle: 55-72mm

HOLES 2 Hole

MOUNTING

Wall Mounted


PLUMBING SYSTEM SUITABILITY


Gravity System, Pumped System, Combination Boiler, Pressurised System



TECHNICAL DRAWING

COLLECTION: ORIGINS PRODUCT CODE: IND-ORI209SA-BRN





tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | ACCESSORIES

