
## SPECIFICATION SHEET



COLLECTION: KNURLED X FUSION PRODUCT CODE: IND-T148/2-XGBK





### SHOWER TYPE

Shower Valve

### **VALVE TYPE**

Concealed

### **ORIENTATION**

Vertical

### NUMBER OF OUTLETS

10utlet

### WITH ALL-FLOW FUNCTION

Yes

### WITH INTEGRATED DIVERTER

No

### COMPATIBLE WITH STUDFAST

Yes

### WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION

No

### WITH SHOWER KIT

No

tel: 01934 74466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | ACCESSORIES



## SPECIFICATION SHEET

COLLECTION: KNURLED X FUSION PRODUCT CODE: IND-T148/2-XGBK

INCLUDES MORTAR / TILE GUARD

Yes

COMPATIBLE WITH EASY-FIX BRACKETS

No

WITH THERMOSTATIC TECHNOLOGY

Yes

**INSTALLATION TOLERANCES** 

min-max wall mount 75-100mm optimum installation depth 87mm

**CONNECTIONS / FITTINGS** 

 $2\times3/4"$  female inlets /  $2\times3/4"$  female outlets includes 3/4" - 1/2" adaptors

**SPARE PARTS** 

thermostatic cartridge V-704-34S diverter cartridge FL-802-33/2MX

**MOUNTING** 

Wall Mounted

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

**COLLECTION NAME** 

Knurled X Fusion

**FINISH** 


Gold/Black

MINIMUM OPERATING PRESSURE

0.2 Bar LP (Shower) / 1.0 Bar MP (Bath)

**GUARANTEE** 

15 Year Guarantee




www.vado.com



# TECHNICAL DRAWING

COLLECTION: KNURLED X FUSION PRODUCT CODE: IND-T148/2-XGBK



tel: 01934 744466 email: sales@vado.com

www.vado.com

